Application No.	Applicant(s)	
09/745 387	ORAN, DAVID R.	
Examiner	Art Unit	
Gregory B. Sefcheck	2616	
ears on the cover sheet with the ears on the cover sheet with the ears on the cover sheet with the ears on other appropriate communication of the earlier appropriate communication is subject and MPEP 1308.  Ent filed 9/22/2006.  Expectively renumbered 1-35, 43, 44 ander 35 U.S.C. § 119(a)-(d) or (f).  Expectively been received.  Expective the earlier and the earli	correspondence address pplication. If not included on will be mailed in due course. THIS to withdrawal from issue at the initiative	
of this communication to file a reply IENT of this application. iitted. Note the attached EXAMINEI es reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF	
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
5. Notice of Informal 6. Interview Summar Paper No./Mail Do 7. X Examiner's Amend 8. Examiner's Statem 9. Other	y (PTO-413), ate	
	Examiner  Gregory B. Sefcheck  Bars on the cover sheet with the (OR REMAINS) CLOSED in this a or other appropriate communication (IGHTS. This application is subject 8 and MPEP 1308.  Bant filed 9/22/2006.  Bectively renumbered 1-35, 43, 44 ander 35 U.S.C. § 119(a)-(d) or (f).  Be been received.  Be been received in Application No. cuments have been received in this of this communication to file a replace of this communication.  Be the submitted of this application.  Be submitted.  Bon's Patent Drawing Review (PTC) of this application of the submitted.  Bart of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGICAL MATERIAL FOR THE PARK FOR	

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On pg. 4, line 26 of the Specification, - - now patented as U.S. Patent 6,421,720 - - has been added following "NETWORK".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory B. Sefcheck whose telephone number is 571-272-3098. The examiner can normally be reached on Monday-Friday, 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/745,387

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GBS *CBS* 10-3-2006

SEEMA S. RAO 10 (6 SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600 Page 3